Hearing Research, 32 (1988) 257, 258
Elsevier

Contents of Volume 32

No. 1

M.G. Pierson and J.W. Swann (U.S.A.)
The sensitive period and optimum dosage for induction of audiogenic seizure susceptibility by kanamycin in the Wistar rat *(HRR 01017)* 1

N. Slepecky, M. Ulfendahl and Å. Flock (Sweden)
Effects of caffeine and tetracaine on outer hair cell shortening suggest intracellular calcium involvement *(HRR 01018)* 11

D. McFadden (U.S.A.)
Failure of a missing-fundamental complex to interact with masked and unmasked pure tones at its fundamental frequency *(HRR 01019)* 23

K.C. Horner, A. Guilhaume and Y. Cazals (France)
Atrophy of middle and short stereocilia on outer hair cells of guinea pig cochleas with experimentally induced hydrops *(HRR 01020)* 41

C.E. Schreiner and J.V. Urbas (F.R.G.)
Representation of amplitude modulation in the auditory cortex of the cat. II. Comparison between cortical fields *(HRR 01021)* 49

R.P. Carlyon (U.K.)
The development and decline of forward masking *(HRR 01023)* 65

O. Gleich and P.M. Narins (F.R.G., U.S.A.)
The phase response of primary auditory afferents in a songbird (*Sturnus vulgaris* L.) *(HRR 01024)* 81

Short Communications

E. Arjmand, D. Harris and P. Dallos (U.S.A.)
Developmental changes in frequency mapping of the gerbil cochlea: Comparison of two cochlear locations *(HRR 01022)* 93

D.W.F. Schwarz, I.E. Schwarz, K. Hu and S.R. Vincent (Canada)
Retrograde transport of [^{3}H]-GABA by lateral olivocochlear neurons in the rat *(HRR 01025)* 97

No. 2

K. Ikeda, J. Kusakari and T. Takasaka (Japan)
Ionic changes in cochlear endolymph of the guinea pig induced by acoustic injury *(HRR 01026)* 103

C. Köppl and O. Gleich (F.R.G.)
Cobalt labelling of single primary auditory neurones: An alternative to HRP *(HRR 01027)* 111

H. Cousillas and G. Rebillard (France)
Morphological transformation of hair cells in the chick basilar papilla following an acoustic overstimulation *(HRR 01028)* 117

D. Dulon, J.M. Aran and J. Schacht (France, U.S.A.)
Potassium-depolarization induces motility in isolated outer hair cells by an osmotic mechanism *(HRR 01029)* 123

0378-5955/88/$03.50 © 1988 Elsevier Science Publishers B.V. (Biomedical Division)

H. Burda, J. Fiedler and V. Bruns (F.R.G.)
The receptor and neuron distribution in the cochlea of the bat, *Taphozous kachhensis (HRR 01030)* 131

M.R. Emmerling and H.M. Sobkowicz (U.S.A.)
Differentiation and distribution of acetylcholinesterase molecular forms in the mouse cochlea *(HRR 01031)* 137

D.M. Green and Q.T. Nguyen (U.S.A.)
Profile analysis: Detecting dynamic spectral changes *(HRR 01032)* 147

D.R. Trune, C. Mitchell and D.S. Phillips (U.S.A.)
The relative importance of head size, gender and age on the auditory brainstem response *(HRR 01033)* 165

J.F.L. Klis and G.F. Smoorenburg (The Netherlands)
Cochlear potentials and their modulation by low-frequency sound in early endolymphatic hydrops *(HRR 01034)* 175

D.B. Webster (U.S.A.)
Conductive hearing loss affects the growth of the cochlear nuclei over an extended period of time *(HRR 01035)* 185

D.B. Webster (U.S.A.)
Sound amplification negates central effects of a neonatal conductive hearing loss *(HRR 01036)* 193

C.H. Norris, G.D. Housley, W.H. Williams, S.L. Guth and P.S. Guth (U.S.A.)
The acetylcholine receptors of the semicircular canal in the frog (*Rana pipiens*) *(HRR 01037)* 197

D.D. Greenwood (Canada)
Cochlear nonlinearity and gain control as determinants of the response of primary auditory neurons to harmonic complexes *(HRR 01038)* 207

Announcements 255

Contents of Volume 32 257

Author Index 259

Subject Index 261

Hearing Research, 32 (1988) 259,260
Elsevier

Author Index

Aran, J.M., see Dulon, D. (32) 123
Arjmand, E., Harris, D. and Dallos, P.
Developmental changes in frequency mapping of the gerbil cochlea: Comparison of two cochlear locations (32) 93

Bruns, V., see Burda, H. (32) 131
Burda, H., Fiedler, J. and Bruns, V.
The receptor and neuron distribution in the cochlea of the bat, *Taphozous kachhensis* (32) 131

Carlyon, R.P.
The development and decline of forward masking (32) 65
Cazals, Y., see Horner, K.C. (32) 41
Cousillas, H. and Rebillard, G.
Morphological transformation of hair cells in the chick basilar papilla following an acoustic overstimulation (32) 117

Dallos, P., see Arjmand, E. (32) 93
Dulon, D., Aran, J.M. and Schacht, J.
Potassium-depolarization induces motility in isolated outer hair cells by an osmotic mechanism (32) 123

Emmerling, M.R. and Sobkowicz, H.M.
Differentiation and distribution of acetylcholinesterase molecular forms in the mouse cochlea (32) 137

Fiedler, J., see Burda, H. (32) 131
Flock, Å., see Slepecky, N. (32) 11

Gleich, O. and Narins, P.M.
The phase response of primary auditory afferents in a songbird (*Sturnus vulgaris* L.) (32) 81
Gleich, O., see Köppl, C. (32) 111
Green, D.M. and Nguyen, Q.T.
Profile analysis: Detecting dynamic spectral changes (32) 147
Greenwood, D.D.
Cochlear nonlinearity and gain control as determinants of the response of primary auditory neurons to harmonic complexes (32) 207
Guilhaume, A., see Horner, K.C. (32) 41
Guth, P.S., see Norris, C.H. (32) 197
Guth, S.L., see Norris, C.H. (32) 197

Harris, D., see Arjmand, E. (32) 93
Horner, K.C., Guilhaume, A. and Cazals, Y.
Atrophy of middle and short stereocilia on outer hair cells of guinea pig cochleas with experimentally induced hydrops (32) 41
Housley, G.D., see Norris, C.H. (32) 197
Hu, K., see Schwarz, D.W.F. (32) 97

Ikeda, K., Kusakari, J. and Takasaka, T.
Ionic changes in cochlear endolymph of the guinea pig induced by acoustic injury (32) 103

Klis, J.F.L. and Smoorenburg, G.F.
Cochlear potentials and their modulation by low-frequency sound in early endolymphatic hydrops (32) 175
Köppl, C. and Gleich, O.
Cobalt labelling of single primary auditory neurones: An alternative to HRP (32) 111
Kusakari, J., see Ikeda, K. (32) 103

McFadden, D.
Failure of a missing-fundamental complex to interact with masked and unmasked pure tones at its fundamental frequency (32) 23
Mitchell, C., see Trune, D.R. (32) 165

Narins, P.M., see Gleich, O. (32) 81
Nguyen, Q.T., see Green, D.M. (32) 147
Norris, C.H., Housley, G.D., Williams, W.H., Guth, S.L. and Guth, P.S.
The acetylcholine receptors of the semicircular canal in the frog (*Rana pipiens*) (32) 197

Phillips, D.S., see Trune, D.R. (32) 165
Pierson, M.G. and Swann, J.W.
The sensitive period and optimum dosage for induction of audiogenic seizure susceptibility by kanamycin in the Wistar rat (32) 1

Rebillard, G., see Cousillas, H. (32) 117

Schacht, J., see Dulon, D. (32) 123
Schreiner, C.E. and Urbas, J.V.
Representation of amplitude modulation in the auditory cortex of the cat. II. Comparison between cortical fields (32) 49
Schwarz, D.W.F., Schwarz, I.E., Hu, K. and Vincent, S.R.
Retrograde transport of [^{3}H]-GABA by lateral olivocochlear neurons in the rat (32) 97
Schwarz, I.E., see Schwarz, D.W.F. (32) 97
Slepecky, N., Ulfendahl, M. and Flock, Å.
Effects of caffeine and tetracaine on outer hair cell shortening suggest intracellular calcium involvement (32) 11

0378-5955/88/$03.50 © 1988 Elsevier Science Publishers B.V. (Biomedical Division)

Smoorenburg, G.F., see Klis, J.F.L. (32) 175
Sobkowicz, H.M., see Emmerling, M.R. (32) 137
Swann, J.W., see Pierson, M.G. (32) 1

Takasaka, T., see Ikeda, K. (32) 103
Trune, D.R., Mitchell, C. and Phillips, D.S.
The relative importance of head size, gender and age on the auditory brainstem response (32) 165

Ulfendahl, M., see Slepecky, N. (32) 11
Urbas, J.V., see Schreiner, C.E. (32) 49

Vincent, S.R., see Schwarz, D.W.F. (32) 97

Webster, D.B.
Conductive hearing loss affects the growth of the cochlear nuclei over an extended period of time (32) 185
Webster, D.B.
Sound amplification negates central effects of a neonatal conductive hearing loss (32) 193
Williams, W.H., see Norris, C.H. (32) 197

Hearing Research, 32 (1988) 261–264
Elsevier

Subject Index

ABR
Head size; Gender; Age; Simple regression; Multiple regression (Trune, D.R. (32) 165)

Acetylcholinesterase
Cochlea; Development (Emmerling, M.R. (32) 137)

Acoustic overstimulation
Endolymph; Ca^{2+}; P_{CO_2}; Ion (Ikeda, K. (32) 103)

Acoustic trauma
Chicken; Basilar papilla; Histology (Cousillas, H. (32) 117)

Actin
Cell motility; Ear, inner; Hair cell; Caffeine; Tetracaine (Slepecky, N. (32) 11)

Adaptation
Forward masking; Basilar membrane (Carlyon, R.P. (32) 65)

Age
ABR; Head size; Gender; Simple regression; Multiple regression (Trune, D.R. (32) 165)

Amplification
Sound deprivation; Cochlear nuclei; Mouse (Webster, D.B. (32) 193)

Amplitude modulation
Auditory cortex; Cat (Schreiner, C.E. (32) 49)

Psychoacoustics; Intensity discrimination; Profile analysis (Green, D.M. (32) 147)

Atropine
Vestibular; Hair cell; Curare; Strychnine; Cholinergic receptors (Norris, C.H. (32) 197)

Audiogenic seizure
Epilepsy; Kanamycin; Pinna reflex; Cochlea (Pierson, M.G. (32) 1)

Auditory cortex
Amplitude modulation; Cat (Schreiner, C.E. (32) 49)

Auditory nerve
Neurone labelling; Cobalt labelling; Lizard; Bird; Histological techniques (Köppl, C. (32) 111)

Basilar membrane
Forward masking; Adaptation (Carlyon, R.P. (32) 65)

Basilar papilla
Acoustic trauma; Chicken; Histology (Cousillas, H. (32) 117)

Bat
Corti organ; Cochlear innervation (Burda, H. (32) 131)

Bird
Neurone labelling; Auditory nerve; Cobalt labelling; Lizard; Histological techniques (Köppl, C. (32) 111)

Ca^{2+}
Acoustic overstimulation; Endolymph; P_{CO_2}; Ion (Ikeda, K. (32) 103)

Caffeine
Cell motility; Ear, inner; Hair cell; Tetracaine; Actin (Slepecky, N. (32) 11)

Calcium
Outer hair cell in vitro; Motility; Potassium; Osmolarity (Dulon, D. (32) 123)

Cat
Auditory cortex; Amplitude modulation (Schreiner, C.E. (32) 49)

Cell motility
Ear, inner; Hair cell; Caffeine; Tetracaine; Actin (Slepecky, N. (32) 11)

Chicken
Acoustic trauma; Basilar papilla; Histology (Cousillas, H. (32) 117)

Cholinergic receptors
Vestibular; Hair cell; Curare; Atropine; Strychnine (Norris, C.H. (32) 197)

Cobalt labelling
Neurone labelling; Auditory nerve; Lizard; Bird; Histological techniques (Köppl, C. (32) 111)

Cochlea
Audiogenic seizure; Epilepsy; Kanamycin; Pinna reflex (Pierson, M.G. (32) 1)

0378-5955/88/$03.50 © 1988 Elsevier Science Publishers B.V. (Biomedical Division)

Hydrops; Hair cell; Stereocilia; SEM, guinea pig (Horner, K.C. (32) 41)

Acetylcholinesterase; Development (Emmerling, M.R. (32) 137)

Compressive nonlinearity; Gain control; Synaptic bias; Primary auditory fiber; Period histogram (Greenwood, D.D. (32) 207)

Cochlear efferents
GABA; GAD (Schwarz, D.W.F. (32) 97)

Cochlear frequency map
Development; Cochlear microphonic; Mongolian gerbil (Arjmand, E. (32) 93)

Cochlear ganglion cell
Starling; Ear, inner; Phase-locking (Gleich, O. (32) 81)

Cochlear innervation
Bat; Corti organ (Burda, H. (32) 131)

Cochlear microphonic
Development; Cochlear frequency map; Mongolian gerbil (Arjmand, E. (32) 93)

Cochlear microphonics
Endolymphatic hydrops; Summating potential; Compound action potential; Low-frequency modulation (Klis, J.F.L. (32) 175)

Cochlear nuclei
Conductive loss; Mouse; Development (Webster, D.B. (32) 185)

Sound deprivation; Mouse; Amplification (Webster, D.B. (32) 193)

Compound action potential
Endolymphatic hydrops; Cochlear microphonics; Summating potential; Low-frequency modulation (Klis, J.F.L. (32) 175)

Compressive nonlinearity
Cochlea; Gain control; Synaptic bias; Primary auditory fiber; Period histogram (Greenwood, D.D. (32) 207)

Conductive loss
Cochlear nuclei; Mouse; Development (Webster, D.B. (32) 185)

Corti organ
Bat; Cochlear innervation (Burda, H. (32) 131)

Cueing
Periodicity (temporal) encoding; Masking; Informational masking; PACS numbers: 43.66 Dc, 43.66 Hg, 43.66 Ba (McFadden, D. (32) 23)

Curare
Vestibular; Hair cell; Atropine; Strychnine; Cholinergic receptors (Norris, C.H. (32) 197)

Development
Cochlear frequency map; Cochlear microphonic; Mongolian gerbil (Arjmand, E. (32) 93)

Acetylcholinesterase; Cochlea (Emmerling, M.R. (32) 137)

Conductive loss; Cochlear nuclei; Mouse (Webster, D.B. (32) 185)

Ear, inner
Cell motility; Hair cell; Caffeine; Tetracaine; Actin (Slepecky, N. (32) 11)

Starling; Cochlear ganglion cell; Phase-locking (Gleich, O. (32) 81)

Endolymph
Acoustic overstimulation; Ca^{2+}; P_{CO_2}; Ion (Ikeda, K. (32) 103)

Endolymphatic hydrops
Cochlear microphonics; Summating potential; Compound action potential; Low-frequency modulation (Klis, J.F.L. (32) 175)

Epilepsy
Audiogenic seizure; Kanamycin; Pinna reflex; Cochlea (Pierson, M.G. (32) 1)

Forward masking
Adaptation; Basilar membrane (Carlyon, R.P. (32) 65)

GABA
Cochlear efferents; GAD (Schwarz, D.W.F. (32) 97)

GAD
Cochlear efferents; GABA (Schwarz, D.W.F. (32) 97)

Gain control
Cochlea; Compressive nonlinearity; Synaptic bias; Primary auditory fiber; Period histogram (Greenwood, D.D. (32) 207)

Gender
ABR; Head size; Age; Simple regression; Multiple regression (Trune, D.R. (32) 165)

Hair cell
Cell motility; Ear, inner; Caffeine; Tetracaine; Actin (Slepecky, N. (32) 11)

Hydrops; Cochlea; Stereocilia; SEM, guinea pig (Horner, K.C. (32) 41)

Vestibular; Curare; Atropine; Strychnine; Cholinergic receptors (Norris, C.H. (32) 197)

Head size
ABR; Gender; Age; Simple regression; Multiple regression (Trune, D.R. (32) 165)

Histological techniques
Neurone labelling; Auditory nerve; Cobalt labelling; Lizard; Bird (Köppl, C. (32) 111)

Histology
Acoustic trauma; Chicken; Basilar papilla (Cousillas, H. (32) 117)

Hydrops
Cochlea; Hair cell; Stereocilia; SEM, guinea pig (Horner, K.C. (32) 41)

Informational masking
Periodicity (temporal) encoding; Cueing; Masking; PACS numbers: 43.66 Dc, 43.66 Hg, 43.66 Ba (McFadden, D. (32) 23)

Intensity discrimination
Psychoacoustics; Amplitude modulation; Profile analysis (Green, D.M. (32) 147)

Ion
Acoustic overstimulation; Endolymph; Ca^{2+}; P_{CO_2} (Ikeda, K. (32) 103)

Kanamycin
Audiogenic seizure; Epilepsy; Pinna reflex; Cochlea (Pierson, M.G. (32) 1)

Lizard
Neurone labelling; Auditory nerve; Cobalt labelling; Bird; Histological techniques (Köppl, C. (32) 111)

Low-frequency modulation
Endolymphatic hydrops; Cochlear microphonics; Summating potential; Compound action potential (Klis, J.F.L. (32) 175)

Masking
Periodicity (temporal) encoding; Cueing; Informational masking; PACS numbers: 43.66 Dc, 43.66 Hg, 43.66 Ba (McFadden, D. (32) 23)

Mongolian gerbil
Development; Cochlear frequency map; Cochlear microphonic (Arjmand, E. (32) 93)

Motility
Outer hair cell in vitro; Potassium; Osmolarity; Calcium (Dulon, D. (32) 123)

Mouse
Conductive loss; Cochlear nuclei; Development (Webster, D.B. (32) 185)

Sound deprivation; Cochlear nuclei; Amplification (Webster, D.B. (32) 193)

Multiple regression
ABR; Head size; Gender; Age; Simple regression (Trune, D.R. (32) 165)

Neurone labelling
Auditory nerve; Cobalt labelling; Lizard; Bird; Histological techniques (Köppl, C. (32) 111)

Osmolarity
Outer hair cell in vitro; Motility; Potassium; Calcium (Dulon, D. (32) 123)

Outer hair cell in vitro
Motility; Potassium; Osmolarity; Calcium (Dulon, D. (32) 123)

PACS numbers: 43.66 Dc, 43.66 Hg, 43.66 Ba
Periodicity (temporal) encoding; Cueing; Masking; Informational masking (McFadden, D. (32) 23)

P_{CO_2}
Acoustic overstimulation; Endolymph; Ca^{2+}; Ion (Ikeda, K. (32) 103)

Period histogram
Cochlea; Compressive nonlinearity; Gain control; Synaptic bias; Primary auditory fiber (Greenwood, D.D. (32) 207)

Periodicity (temporal) encoding
Cueing; Masking; Informational masking; PACS numbers: 43.66 Dc, 43.66 Hg, 43.66 Ba (McFadden, D. (32) 23)

Phase-locking
Starling; Ear, inner; Cochlear ganglion cell (Gleich, O. (32) 81)

Pinna reflex
Audiogenic seizure; Epilepsy; Kanamycin; Cochlea (Pierson, M.G. (32) 1)

Potassium
Outer hair cell in vitro; Motility; Osmolarity; Calcium (Dulon, D. (32) 123)

Primary auditory fiber
Cochlea; Compressive nonlinearity; Gain control; Synaptic bias; Period histogram (Greenwood, D.D. (32) 207)

Profile analysis
Psychoacoustics; Intensity discrimination; Amplitude modulation (Green, D.M. (32) 147)

Psychoacoustics
Intensity discrimination; Amplitude modulation; Profile analysis (Green, D.M. (32) 147)

SEM, guinea pig
Hydrops; Cochlea; Hair cell; Stereocilia (Horner, K.C. (32) 41)

Simple regression
ABR; Head size; Gender; Age; Multiple regression (Trune, D.R. (32) 165)

Sound deprivation
Cochlear nuclei; Mouse; Amplification (Webster, D.B. (32) 193)

Starling
Ear, inner; Cochlear ganglion cell; Phase-locking (Gleich, O. (32) 81)

Stereocilia
Hydrops; Cochlea; Hair cell; SEM, guinea pig (Horner, K.C. (32) 41)

Strychnine
Vestibular; Hair cell; Curare; Atropine; Cholinergic receptors (Norris, C.H. (32) 197)

Summating potential
Endolymphatic hydrops; Cochlear microphonics; Compound action potential; Low-frequency modulation (Klis, J.F.L. (32) 175)

Synaptic bias
Cochlea; Compressive nonlinearity; Gain control; Primary auditory fiber; Period histogram (Greenwood, D.D. (32) 207)

Tetracaine
Cell motility; Ear, inner; Hair cell; Caffeine; Actin (Slepecky, N. (32) 11)

Vestibular
Hair cell; Curare; Atropine; Strychnine; Cholinergic receptors (Norris, C.H. (32) 197)